

STATE OF VERMONT
PUBLIC SERVICE BOARD

CPG #NM-1157

Application of the Champlain Elementary School for)
a certificate of public good for an interconnected net-)
metered photovoltaic electrical power system)

Order entered: 9/22/2010

I. INTRODUCTION

This case involves an application filed by the Champlain Elementary School ("Applicant"), on August 6, 2010, requesting a certificate of public good ("CPG"), pursuant to 30 V.S.A. §§ 219a and 248 and Vermont Public Service Board ("Board") Rule 5.100, for a net metering system.¹ The net metering system consists of a photovoltaic system.

Notice of the application has been sent to all parties as specified in the Board's Rule 5.100. The notice stated that any party wishing to submit comments or request a hearing in this matter needed to file comments with the Board within ten (10) working days of the date that the notice of the application was sent.

No comments have been received from any other parties or interested persons.

The Board has reviewed the application and accompanying documents and agrees that, pursuant to 30 V.S.A. §§ 219a and 248 and the Board's Rule 5.100, a CPG should be issued without further investigation or hearing.

II. FINDINGS

Based upon the application and its accompanying documents, the Board makes the following findings in this matter.

1. The proposed net metering project will be on property owned by the Burlington School District and located at 800 Pine Street in Burlington, Vermont. Application at Section 1.
2. The proposed net metering facility is to be erected on an existing structure. Application at Section 4.

1. The application was originally filed on July 15, 2010, but was not completed until August 6, 2010.